

LED LINEAR FIXTURE SPECIFICATION



PRODUCT OVERVIEW

This linear fixture light is the best choice for the shop, office etc, because of easy installation and cost effective. Suitable for 9FT-10FT high. Independent and link-able version are optional.

KEY FEATURES

- Independent and link-able version
- LM-80SMD lighting source, 130lm/w
- UL good quality waterproof power supply
- indoor lighting

APPLICATION

- Office
- Meeting room
- shop or supermarket

PERFORMANCE SUMMARY

Product Series	MC-LFU-40X	MC-LFU-80X
Size	4FT	8FT
Wattage	40W	80W
Lm/w	130lm/w	130lm/w
Max connection	11pcs@120Vac 20pcs@220Vac	5pcs@120Vac 10pcs@220Vac
Certification	ETL	
Voltage	100-277Vac	
Power factor	>95	
CRI	>82Ra	
CCT	3500K-6500K	
Beam angle	120°	
PC cover	milky PC	
Warranty	3years	


ORDING GUIDE

P/N:MC-LFU-XX


The first”x” can be any one letter to represent lamp wattage, “40=30w,80=40w,
The second”X”can be any one letter to represent lamp LED color temperature”A=3000K,B=3500K,C=4000K,D=5000K,
E=6500K,H=5700K,G=4500K,F=2700K

P/N	Order Item No.:
MC-LFU-40H	924
MC-LFU-80H	925

STRUCTURE



DIMENSIONS



Length	Width	Height
4FT (48.0'')	2.95''/75mm	1.26''/32mm
8FT (96.0'')	2.95''/75mm	1.26''/32mm

PACKAGE



Lamp length	PCS/CTN	Carton size	GW/CTN
4FT	4pcs	1250*290*110 mm	10kg
8FT	4pcs	2450*290*110 mm	20.5