

# LED BATTEN LIGHTS---FASHION FLAT LED LINEAR LAMP



## FEATURES

- AC 110V/220V Input Directly
- No Lamp Fixture Demand, Clamp Installation
- No Need Change Any Circuit, Save Labor Costs.
- Combine With Panel Light's High-Grade Appearance and Tube's Cost-Effective Price!
- LM-80 SMD Only
- Surface Mount, Dry Place Only.


## APPLICATIONS

Ceiling Mount-Office, School, Workshop, Cabinet And So On!




## PARAMETERS

| IMENSION          | WATT          | LUMEN                   |
|-------------------|---------------|-------------------------|
| 3FT(900mm)        | 30W           | 120LM/Watt;3600LM       |
| 4FT(1200mm)       | 40W           | 120LM/Watt;4800LM       |
| LED               | INPUT VOLTAGE | POWER FACTOR            |
| LM-80 2835SMD     | AC100-277V    | >0.95                   |
| COLOR TEMPERATURE | CRI           | MATERIAL                |
| 4000K/5000K       | >85Ra         | Aluminum body+ PC cover |






# PHOTOMETRIC TEST REPORT

**LUMINOUS INTENSITY DISTRIBUTION DIAGRAM**



**C0 PLANE ISOLUX DIAGRAM (UNIT: lx)**



## ACCESSORIES




- A: Stainless Steel Clip
- B: Screw
- C: Screw Reinforcement Device

LED KING - Quality Lighting Solutions  
 E-mail: [sales@ledkingtx.com](mailto:sales@ledkingtx.com)  
[www.ledkingtx.com](http://www.ledkingtx.com)

## INSTALLATION

**Note: Turn Off The Power Before Installation Please!**

### 1) Surface Installation



Step 1: Corresponding Installation Position, Set a Suitable Clip Position.

Step 2: Use Screw To Fix The Clip.

Step 3: Press The Lamp To The Clip.

### 2) Hanging



Step 1: Fix The Screw On The Ceiling Wall For Pendant Rope

Step 2: Clamp Clip This Lamp

Step 3: Fix Clips And Pendant Rope Together