


LED GARDEN LIGHT



PRODUCT OVERVIEW

This is one of the good idea for the garden,landscape etc.The surface is sprayed with power,with good texture,practical and high-grade lamp body.The light is highly transparent and gathered,excellent lighting and decorative effects.

KEY FEATURES

- It suitable for IP65 wet location
- Die-cast aluminum body
- Single color and CCT are option

APPLICATION

- Garden
- outdoor Parking lot
- landscape,etc


PERFORMANCE SUMMARY

Construction & Materials		
Housing	Die-cast aluminum body	
Finish	black	
Environmental System		
Work Environment	Suitable for wet location	
Operating Temperature	-20℃ to 40℃	
Parameter		
CRI	>80	
Efficacy	130lm/w	
CCT	Single color:3000K/3500K/4000K/5000K/5700K/6500K 3CCT tunable: 3000K-4000K-6500K 3CCT tunable:3000K-4000K-5000K 3CCT tunable:4000K-5000K-6500K	
Input Voltage	120-277Vac ; 50/60HZ	
size/wattage	5FT 30W	6FT 30W
Certification	cETLus	


ORDERING GUIDE

P/N	Order Item No.:	Order Item No.:
MC-GL30-APE	5FT 30W 6500K	2655
MC-GL30-BPE	8FT 30W 6500K	2656


CUT SHEET



DIMENSIONS



PACKAGING



Product	Package size(mm)	CBM/CTN	NW(kg)
5FT LED garden light	L1550*W315*H320	0.15	6kg
8FT LED garden light	L2490*W315*H320	0.25	10.3kg